

Switches



Switches

We have expanded our line to cover all of your manual switch needs.

BEP Marine now offers a full line of manual switches including: toggle, rocker, push/pull, push-button, solenoids, and relays. The comprehensive selection ensures that BEP has the right switch to meet your needs. All of our switches are shock and weather resistant and built for harsh marine and industrial environments. In addition, common applications are associated with each style to simplify selection. BEP switches are available in the following classifications:



SPST

Single Pole, Single Throw:

- Turns a single circuit on and off
- 1 input and 1 output terminals



DPST

Double Pole, Single Throw:

- Turns two circuits on simultaneously
- 2 input and 2 output terminals
- Each input terminal has a dedicated output terminal



SPDT

Single Pole, Double Throw:

- Turns one of two circuits on and off
- 1 input and 2 output terminals




DPDT

Double Pole, Double Throw:

- Turns one circuit in each of 2 pairs of circuits
- 2 input and 4 output terminals
- Enables different modes of operation on a circuit

Action	Style	Primary Use
SPST	Off-On	Lights
SPST	Off-(On)	Horn
SPDT	On-Off-On	Nav Lights
SPDT	(On)-Off-On	Bilge Pump
SPDT	On-Off-(On)	Bilge Pump
SPDT	(On)-Off-(On)	Trim Tabs
SPDT	On-On	Hallway Lights

Action	Style	Primary Use
DPST	Off-On	Nav Lights
DPST	Off-(On)	Dual Horns
DPDT	On-Off-On	Nav Lights
DPDT	(On)-Off-On	Dual Wipers
DPDT	On-Off-(On)	Dual Wipers
DPDT	(On)-Off-(On)	Hatches
DPDT	On-On	Hallway Lights









Contura Switches







Contura Switches

- Shock and weather resistant for use in harsh marine and industrial environments
- Compatible with 12V and 24V systems, rated for up to 20A (12V)
- Standard or illuminated actuators
- Mount in BEP Rocker/Contura switch brackets

Ideal for:

Interior and Exterior Lighting
Trim Tabs
Power Hatches
Horns
Wipers

						
Part #	1001801	1001802	1001803	1001805	1001804	1001806
Type	SPST			SPDT		
Action	Off-On	Off-(On)	On-Off-On	On-Off-(On)	(On)-Off-(On)	(On)-Off-(On)
Nominal Voltage	12V/24V DC	12V/24V DC	12V/24V DC	12V/24V DC	12V/24V DC	12V/24V DC
Ratings	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC
Termination Type	1/4" blades	1/4" blades	1/4" blades	1/4" blades	1/4" blades	1/4" blades
LED	● 1-Amber	None	● 2-Amber	● 1-Amber	None	None

						
Part #	1001811	1001810	1001812	1001808	1001807	1001809
Type	DPST			DPDT		
Action	Off-On	Off-(On)	On-On	On-Off-On	On-Off-(On)	(On)-Off-(On)
Nominal Voltage	12V/24V DC	12V/24V DC	12V/24V DC	12V/24V DC	12V/24V DC	12V/24V DC
Ratings	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC	20A at 12V DC, 15A at 24V DC
Termination Type	1/4" blades	1/4" blades	1/4" blades	1/4" blades	1/4" blades	1/4" blades
LED	● 1-Amber	None	● 2-Amber	● 2-Amber	● 1-Amber	None

() = Momentary

Contura and Rocker Switch Mounting Brackets

- Mount multiple Contura or Rocker style switches in one opening
- Provides a neat, finished appearance on dash or panel surfaces



1001718
Plug



1001717
Single



1001703
End (L or R)



1001702
Double



1001701
Triple (plug included)








Rocker, Contact, and Push Button Switches







Rocker Switches

- Shock and weather resistant for use in harsh marine and industrial environments
- Available in 12V and 24 volt system configurations
- 10A, 20A, and heavy duty 25A (12V) rated options
- Standard and illuminated actuators

Ideal for:

Interior and Exterior Lighting
Horns
Wipers
Trim Tabs
Power Hatches

							
Part #	1001705	1001707	1001708	1001714	1001716	1001704	1001709
Type	SPST						
Action	Off-On	Off-On	Off-On	Off-On	Off-On	Off-On	Off-(On)
Nominal Voltage	12V DC	12/24V DC	12V DC	12V DC	12V DC	12/24V DC	12V DC
Ratings	10A at 12V DC	20A at 12V DC, 10A at 24V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC	20A at 12V DC, 15A at 24V DC	25A at 12V DC
Termination Type	1/4" blades	#8-32 screws	#8-32 screws	1/4" blades	1/4" blades	1/4" blades	1/4" blades
LED	● Red	None	● Red	● Red	● Changeable	None	None

						
Part #	1001706	1001710	1001715	1001711	1001712	1001713
Type	SPDT			DPDT		
Action	On-On	On-Off-On	On-Off-On	(On)-Off-(On)	On-Off-On	(On)-Off-(On)
Nominal Voltage	12V DC	12V DC	12V DC	12V DC	12V DC	12V DC
Ratings	10A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC
Termination Type	1/4" blades	1/4" blades	1/4" blades	1/4" blades	1/4" blades	1/4" blades
LED	None	None	● 2-Red	None	None	None

() = Momentary

Contura and Rocker Switch Mounting Brackets

- Mount multiple Contura or Rocker style switches in one opening
- Provides a neat, finished appearance on dash or panel surfaces



1001718
Plug



1001717
Single



1001703
End (L or R)



1001702
Double







1001701
Triple (plug included)

Contact Switches

- Universal applications for marine and industrial environments
- Choose from red or black actuator styles

Ideal for:
Horns
Other Momentary
Applications







		
Part #	1001401	1001402
Type	SPST	
Action	Off-(On)	Off-(On)
Nominal Voltage	12V DC	12V DC
Ratings	10A at 12V DC	10A at 12V DC
Termination Type	1/4" blades	1/4" blades
Button Color	 Red	 Black

() = Momentary

Push Button Switches and Caps

- Offered in a variety of weather resistant options to suit any application environment
- Suitable for 6–36V system configurations with up to 35A ratings (12V)
- Momentary actuation ideal for use with horns
- Optional weather proof rubber caps available with threaded or press-on installation

Ideal for:
Horns

						
Part #	1001503	1001504	1001505	1001506	1001507	1001508
Type	SPST					
Action	Off-(On)	Off-(On)	Off-(On)	Off-(On)	Off-(On)	Off-(On)
Nominal Voltage	6–36V DC	6–36V DC	6–36V DC	6–36V DC	6–36V DC	6–36V DC
Ratings	10A at 12V DC	35A at 12V DC	10A at 12V DC	10A at 12V DC	35A at 12V DC	35A at 12V DC
Termination Type	#8–32 screws	#8–32 screws	#8–32 screws	wire leads, 16 AWG, 8"	#8–32 screws	#8–32 screws

() = Momentary

Push Button Caps









Toggle Switches








Toggle Switches








- Shock and weather resistant for use in harsh marine and industrial environments
- Available in 12V and 24 volt system configurations
- 10A and heavy duty 25A (12V) rated options
- Standard or illuminated actuators

Ideal for:




Interior and Exterior Lighting
Horns
Wipers
Trim Tabs
Power Hatches






						
Part #	1001901	1001906	1001902	1001908	1002010	1002006
Type	SPST					
Action	Off-On	Off-On	Off-On	Off-On	Off-On	Off-(On)
Nominal Voltage	12V DC	12V DC	12V DC	12V DC	12V/24V DC	12V/24V DC
Ratings	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC
Terminal Type	1/4" blade	1/4" blade	#6-32 screws	#6-32 screws	wire leads, 14 AWG, 10"	wire leads, 14 AWG, 10"
LED	None	● Red	None	● Red	None	None

							
Part #	1002013	1002021	1002022	1002002	1002024	1002025	1002023
Type	SPST						
Action	Off-On	Off-On	Off-On	Off-(On)	On-Off	Off-On	Off-On
Nominal Voltage	12V/24V DC	12V DC	12V DC	12V DC	12V/24V DC	12V/24V DC	12V DC
Ratings	25A at 12V DC, 15A at 24V DC	10A at 12V DC	10A at 12V DC	25A at 12V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC	10A at 12V DC
Terminal Type	1/4" terminals	#6-32 screws	#6-32 screws	#6-32 screws	#6-32 screws	#6-32 screws	wire leads, 18 AWG, 6"
LED	None	None	None	None	None	None	None





							
Part #	1001907	1001903	1001904	1002001	1002027	1002015	1002004
Type	SPDT						
Action	On-Off-On	On-Off-On	(On)-Off-(On)	On-Off-On	On-Off-On	On-Off-(On)	(On)-Off-(On)
Nominal Voltage	12V DC	12V DC	12V DC	12V DC	12V DC	12V/24V DC	12V/24V DC
Ratings	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC
Terminal Type	1/4" blades	#6-32 screws	#6-32 screws	1/4" blades	#6-32 screws	#6-32 screws	#6-32 screws
LED	● Red	None	None	None	None	None	None

() = Momentary

			
Part #	1002008	1002007	1002009
Type	SPDT		
Action	On-On	On-Off-On	(On)-Off-(On)
Nominal Voltage	12V/24V DC	12V/24V DC	12V/24V DC
Ratings	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC
Terminal Type	wire leads, 14 AWG, 10"	wire leads, 14 AWG, 10"	wire leads, 14 AWG, 10"
LED	None	None	None

					
Part #	1002017	1001905	1002018	1002014	1002012
Type	DPST	DPDT			
Action	Off-On	On-Off-On	On-Off-On	On-Off-(On)	(On)-Off-(On)
Nominal Voltage	12V DC	12V DC	12V/24V DC	12V DC	12V/24V DC
Ratings	25A at 12V DC	25A at 12V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC	25A at 12V DC, 15A at 24V DC
Terminal Type	#6-32 screws	1/4" blades	#6-32 screws	1/4" blades	#6-32 screws
LED	None	None	None	None	None

Sealed Dipped Switches

				
Part #	1002016	1002003	1002011	1002005
Type	SPST		SPDT	
Action	Off-On	Off-(On)	On-Off-On	(On)-Off-(On)
Nominal Voltage	12V DC	12V/24V DC	12V/24V DC	12V/24V DC
Ratings	25A at 12V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC	25A at 12V DC, 15A at 24V DC
Terminal Type	wire leads, 16 AWG, 8"	wire leads, 16 AWG, 8"	wire leads, 16 AWG, 8"	wire leads, 16 AWG, 8"
LED	None	None	None	None

() = Momentary

Toggle Switch Boots

- UV resistant, resists cracking and discoloration
- Full boot provides maximum protection. IP67 rated, will withstand saltwater and fresh water immersion up to 30 min.
- Tipless boot provides increase weather resistance while retaining the look of the stainless actuator



1002019
Tipless



1002020
Full





Push Pull, and Ignition Switches




Push-Pull Switches

- Push-Pull switches are well suited for managing a variety of single or multiple circuit lighting applications
- Shock and weather resistant for use in harsh marine and industrial environments
- Suitable for 6–36V system configurations with up to 10A ratings (12V)


Ideal for:

Single or multiple circuit lighting applications

				
Part #	1001306	1001302	1001303	1001307
Type	SPST			
Action	Off-On	Off-On	Off-On (two circuit)	Off-On
Nominal Voltage	6–36V DC	6–36V DC	6–36V DC	6–36V DC
Ratings	10A at 12V DC	10A at 12V DC	10A at 12V DC	10A at 12V DC
Termination Type	wire leads, 16 AWG, 8"	#8–32 screws	#8–32 screws	#8–32 screws





			
Part #	1001304	1001301	1001305
Type	SPDT		
Action	Off-On1-On2	Off-On1-On1&2	Off-On1&2-On1&3
Nominal Voltage	6–36V DC	6–36V DC	6–36V DC
Ratings	10A at 12V DC	10A at 12V DC	10A at 12V DC
Termination Type	#8–32 screws	#8–32 screws	#8–32 screws





Pull Switch

	
Part #	1001308
Type	SPST
Action	Off-(On)
Nominal Voltage	6–36V DC
Ratings	10A at 12V DC
Termination Type	#8–32 screws

Ignition Switches

- Available in a variety of Off/On/Accessory/Ignition configurations to suit specific applications
- Suitable for 6–36V DC system configurations
- All ignition switches include 2 keys

				
Part #	1001605	1001608	1001606	1001607
Action	Off-On	Off-On	Off-Ignition-Start	Off-Ignition & Accessory-Start
Nominal Voltage	12V DC	12V DC	12V DC	12V DC
Ratings	Ignition 10A at 12V DC	5A at 12V DC	Ignition 10A, Start 5A at 12V DC	Ignition 10A, Start 5A at 12V DC
Termination Type	#8–32 screws	#8–32 screws	#8–32 screws	#8–32 screws



				
Part #	1001610	1001604	1001603	1001609
Action	Off-Ignition-Start	Off-Ignition & Accessory-Start	Accessory-Off-Ignition & Accessory-Start	Accessory-Off-Ignition & Accessory-Start
Nominal Voltage	6–36V DC	12–48V DC	12/12V DC	12V DC
Ratings	15A Ignition, 5A Start	10A at 12V DC, 5A at 24V DC, 3A at 36V DC, 2A at 48V DC	10A at 12V DC, 5A at 24V DC	Accessory 10A, Ignition 5A, Start 5A at 12V DC
Termination Type	#8–32 screws	Deutsch Connector (included)	Deutsch Connector (included)	#8–32 screws



Alarm, Master Disconnect, Dimmer, Kill, Indicator and Solenoid Switches


Alarm

- A convenient way to add alarm functionality to your dash or panel
- Buzzer sounds and bright red light illuminates when voltage is present
- For use with temperature, oil pressure, and engine warning alarm kits

	
Part #	1002301
Family	12V
Nominal Voltage	12V DC
Termination Type	#8-32 screws
LED	 Red


Master Disconnect

- Compact lever-operated battery disconnect switch
- Rated for 175A for use in 12V DC systems
- Suitable for 6-36V DC system configurations
- Includes face plate

		
Part #	1001001	1001002
Action	Off-On	Off-On
Family	175A	125A
Nominal Voltage	6-36V DC	6-36V DC
Ratings	175A at 12V continuous	175A at 12V continuous
Termination Type	3/8" Brass Nut	3/8" Brass Nut


Dimmer Switches

- Easily control the brightness of incandescent bulbs from dim to bright
- Not intended for use with LED lights

		
Part #	1002101	1002102
Family	12V - 4A	12V - 7A
Nominal Voltage	12V DC	12V DC
Ratings	4A at 12V DC	7A at 12V DC
Termination Type	3-way connector	wire leads, 16 AWG, 2"





Kill Switch

- Ideal for adding engine-stop safety to older boats
- Available as a switch & lanyard combo, or replacement lanyard only

		
Part #	1001601	1001602
Family	Switch & Lanyard	Lanyard Only
Nominal Voltage	12-24V DC	—
Ratings	10A at 12-24V DC	—
Termination Type	1/4" blades	—




LED Pilot Indicator




- This 12V solid-state LED never needs replacement
- Feature bright chrome-plated body, washer and hex nut
- Polarized quick connect terminals for ease of wiring
- Available in Amber, Red, Green, and Blue

				
Part #	1001101	1001102	1001103	1001104
Family	12V	12V	12V	12V
Nominal Voltage	12V DC	12V DC	12V DC	12V DC
Termination Type	1/4" blades	1/4" blades	1/4" blades	1/4" blades
LED	Amber	Blue	Green	Red

Solenoids

- Remotely switch high amperage loads with a low amperage on-off switch
- Rated from 65A up to 100A for use in 12V DC systems
- Available with steel and PVC coated housings

			
Part #	1002203	1002205	1002204
Family	Remote Switching	PVC Coated	Remote Switching
Nominal Voltage	12V DC	12V DC	12V DC
Ratings	65A at 12V DC	85A at 12V DC	85A at 12V DC
Termination Type	10-32 thread and 5/16-24 thread	10-32 thread and 5/16-24 thread	10-32 thread and 5/16-24 thread
Amperage	65A	85A	85A

			
Part #	1002206	1002201	1002202
Family	Engine Starting	Motor Reversing	Solid State
Nominal Voltage	12V DC	12V DC	9-31V DC
Ratings	100A at 12V DC	75A at 12V DC	85A at 12V DC
Termination Type	5/16"-24 thread	5/16-24 thread & 1/4 blade	5/16-18 thread & wire leads, 16 AWG, 8"
Amperage	100A	75A	85A

We've got you covered.



For decades Ancor, BEP, Blue Sea Systems, CZone, Lenco, Marincó, Mastervolt and ProMariner have worked independently to provide innovative electrical products. Now the eight companies are working together to offer comprehensive electrical solutions for marine and mobile applications.

Providing more than products. Providing Solutions.

ANCOR

Wire & Cable
Wire Management
Terminals & Lugs
Tools & Testers
Lighting
ancorproducts.com

BEP

Battery Management
Connectors & Insulators
Circuit Protection
Power Distribution
Panels
Meters
bepmarine.com



Power Conversion
Battery Management
Circuit Protection & Switches
Connectors & Insulators
Power Distribution
Meters
blueseasystems.com



Digital Switching
czone.net



Trim Tabs
Actuators
Hatch Lifts
lencomarine.com

MARINCO

Shore Power
DC Power Connections
Power Conversion
Battery Management
Wiper Systems
Horns
Lighting
Ventilation
marinco.com

MASTERVOLT

Power Conversion
Batteries
Digital Switching
Battery Management
Transformers
Alternators
mastervolt.us



AC Detachable Power
DC Power Connection
park-power.com



Surge Protection
progressiveindustries.net

ProMariner™

Waterproof
Battery Chargers
Vented Battery Chargers
Inverters
Combis
Isolators
Accessories
promariner.com